

## SAFETY DATA SHEET

[IN ACCORDANCE WITH THE CRITERIA OF REGULATION NO 1907/2006 (REACH) AND 2015/830]

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

bluebery ice 20mg 43vg nicotine salt e-liquid

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** liquid filling for e-liquid

**Uses advised against:** not determined

#### 1.3 Details of the supplier of the safety data sheet

**Company:** DVTCH - HMP Europe B.V.

**Address:** Radonstraat 10d, 2718TA, Zoetermeer, The Netherlands

**Telephone:** +31 6 40 81 02 91

**E-mail address:** Info@dvтч.amsterdam

#### 1.4 Emergency telephone number

**Telephone:** 112

### Section 2: Hazards identification

#### 2.1 Classification of the substance or mixture:

**Classification according to Regulation 1272/2008/EC**

Acute Tox.3 (H301) (Contains Nicotine)

Eye Irrit.2 (H319) (Contains Benzoic acid and Lactic acid)

#### 2.2 Label elements

**Hazard pictograms and signal words**



**DANGER**

**Hazard phrases**

H301: Toxic if swallowed.

H319: Causes serious eye irritation

**Safety phrases**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P501: Dispose of contents/container to designated places in accordance with local/regional/national/international regulations.

**Names of components on the label**

Contains: Benzoic acid and Lactic acid

#### 2.3 Other hazards:

Product does not contain ingredients, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

### Section 3: Composition/information on ingredients

**3.1 Substance:** Not applicable. Please refer to 3.2 for more information.

#### 3.2 Mixtures:

Components:				
Name	CAS/EC number	Index number/ Registration number	Classification acc. to 1272/2008/EC	Weight % content

1,2-Propylene glycol	CAS:57-55-6 EC:200-338-0	Index NO.: Not available Pre-Registration NO.: 17-2120092104-64-0000	Substance is not classified as hazardous.	≤50.00
Glycerol	CAS: 56-81-5 EC: 200-289-5	Index NO.: Not available Registration NO.: Not available	Substance is not classified as hazardous.	36.00-44.00
Trimethyl isopropyl butanamide	CAS: 51115-67-4 EC: 256-974-4	Index NO.: Not available Registration NO.: Not available	Acute Tox. 4 (H302)	≤2.78
Isopentyl acetate	CAS: 123-92-2 EC: 204-662-3	Index NO.: 607-130-00-2 Registration NO.: Not available	Flam. Liq.3 (H226)	≤2.45
Nicotine	CAS:54-11-5 EC:200-193-3	Index NO.: 614-001-00-4 Pre-Registration NO.: 17-2120092105-62-0000	Acute Tox.2 (H300) Acute Tox.2 (H310) Acute Tox.2 (H330) Aquatic Chronic 2 (H411)	1.67-1.85
Acetic acid	CAS:64-19-7 EC:200-580-7	Index NO.: 607-002-00-6 Registration NO.: Not available	Flam. Liq.3 (H226) Skin Corr.1A (H314)	≤1.27
Benzoic acid	CAS: 65-85-0 EC:200-618-2	Index NO.: 607-705-00-8 Registration NO.: Not available	Skin Irrit.2 (H315) Eye Dam.1 (H318) STOT RE 1 (H372) <sup>1</sup>	≤1.11
Maltol	CAS: 118-71-8 EC: 204-271-8	Index NO.: Not available Registration NO.: Not available	Substance is not classified as hazardous.	≤0.87
Benzyl acetate	CAS: 140-11-4 EC: 205-399-7	Index NO.: Not available Registration NO.: Not available	Aquatic Chronic 3 (H412)	≤0.55
Lactic acid	CAS: 50-21-5 EC: 200-018-0	Index NO.: Not available Registration NO.: Not available	Skin Irrit.2 (H315) Eye Dam.1 (H318)	≤0.39
Propionic acid	CAS: 79-09-4 EC:201-176-3	Index NO.: 607-089-00-0 Registration NO.: Not available	Skin Corr.1B (H314)	≤0.39
Methyl anthranilate	CAS: 134-20-3 EC: 205-132-4	Index NO.: Not available Registration NO.: Not available	Eye Irrit.2 (H319)	≤0.36
Ethyl lactate	CAS: 97-64-3 EC: 202-598-0	Index NO.: 607-129-00-7 Registration NO.: Not available	Flam. Liq.3 (H226) Eye Dam.1 (H318) STOT SE 3 (H335)	≤0.34
3-Hexenylacetate	CAS: 3681-71-8 EC:222-960-1	Index NO.: Not available Registration NO.: Not available	Flam. Liq.3 (H226)	≤0.28

Additional information:

Substances for which there are Union workplace exposure limits are listed in SECTION 8.

For full text of H-statements: see SECTION 16.

## Section 4: First aid measures

### 4.1 Description of first aid measures

**Skin contact:** take off contaminated clothing. Wash the contaminated skin with water and soap. Immediately consult a doctor.

**Eye contact:** remove contact lenses. Wash the contaminated eye with plenty of water for at least 15 minutes. Avoid powerful water stream. Consult a doctor if disturbing symptoms occur.

**Ingestion:** do not induce vomiting. Rinse mouth with water. Never give anything to drink to an unconscious person. Consult a doctor. Show the container or label.

**Inhalation:** Remove to fresh air. Keep warm and calm. Consult a doctor, if disturbing symptoms appear.

<sup>1</sup> (lungs) (Inhalation)

#### 4.2 Most important symptoms and effects, both acute and delayed:

None reasonably foreseeable

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

### Section 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media:** Foam, dry extinguishing agents, water spray.

**Unsuitable extinguishing media:** Water jet - risk of the propagation of the flame.

#### 5.2 Special hazards arising from the substance or mixture:

During the fire, the product may produce toxic fumes of carbon monoxide and dioxide, nitric oxides and other unidentified products of thermal decomposition. Do not inhale combustion products.

#### 5.3 Advice for firefighters:

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals.

### Section 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until suitable cleaning operations are completed. In case of large spills, isolate the exposed area. Avoid contact with skin and eyes. Use personal protective measures.

#### 6.2 Environmental precautions:

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Material may be hazardous if released in large quantities to the environment. Notify relevant emergency services.

#### 6.3 Methods and material for containment and cleaning up

Damaged container put in emergency container. Absorb leakage with incombustible liquid-binding material (e.g. sand, earth, universal binders, silica, vermiculite) and collect mechanically into properly labeled containers for disposal. Clean the contaminated place.

#### 6.4 Reference to other sections: Section 13 and section 8.

### Section 7: Handling and storage

#### 7.1 Precautions for safe handling:

Handle in accordance with good occupational hygiene and safety practices. Avoid skin and eyes contamination. Before break and after work wash hands carefully. Use personal protective measures. Ensure adequate ventilation. Do not let the product to get into mouth.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Keep only in original, tightly closed containers in a cool and well-ventilated area. Keep away from food, beverages or feed for animals. Avoid direct exposure to sunlight. Keep away from strong acids and oxidizing agents. After opening, seal the container and store in an upright position to prevent leakage.

#### 7.3 Specific end use(s):

Liquid filling for e-liquid.

### Section 8: Exposure controls/personal protection

#### 8.1 Control parameters

Substance	Country	OEL value
Benzoic acid	REACH Regulations	6.3mg/m <sup>3</sup> Inhalation, local effects Long-term exposure
		10.4mg/m <sup>3</sup> Inhalation, systemic effects Long-term exposure
Nicotine	Work evaluating existing limits, Germany, Denmark, France, Norway, Belgium, Spain, Ireland	0.5 mg/m <sup>3</sup> (8 h)
	Finland, United Kingdom	0.5 mg/m <sup>3</sup> (8 h) 1.5 mg/m <sup>3</sup> (15 min)

	Austria, Switzerland	0.5 mg/m <sup>3</sup> (8 h) 2 mg/m <sup>3</sup> (15 min)
	Sweden	0.1 mg/m <sup>3</sup> (8 h)
	Ireland	470 mg/m <sup>3</sup> (8 h)- Vapor and particulates 10 mg/m <sup>3</sup> (8 h)- Particulates
Glycerol	American Conference of Governmental Industrial Hygienists	79 mg/m <sup>3</sup> (8 h)
	REACH Regulations	56 mg/m <sup>3</sup> Inhalation, local effects Long-term exposure
	Finland	20 mg/m <sup>3</sup> (8 h)
	France, United Kingdom, Switzerland, Belgium, Spain, Ireland	10 mg/m <sup>3</sup> (8 h)
1,2-Propylene glycol	REACH Regulations	10 mg/m <sup>3</sup> Inhalation, local effects Long-term exposure 168 mg/m <sup>3</sup> Inhalation, systemic effects Long-term exposure
	United Kingdom	474 mg/m <sup>3</sup> (8 h)
	Norway	79 mg/m <sup>3</sup> (8 h)
	Ireland	470 mg/m <sup>3</sup> (8 h)- Vapor and particulates 10 mg/m <sup>3</sup> (8 h)- Particulates
Isopentyl acetate	SZW 1998	530 mg/m <sup>3</sup> (15 min)
	EU, Finland, France, Austria, Sweden, Belgium, Spain	270 mg/m <sup>3</sup> (8 h) 540 mg/m <sup>3</sup> (15 min)
	REACH Regulations	1267.24mg/m <sup>3</sup> Inhalation, systemic effects Long-term exposure
	Germany	270 mg/m <sup>3</sup> (8 h) 270 mg/m <sup>3</sup> (15 min)
	Denmark	266 mg/m <sup>3</sup> (8 h)
	United Kingdom	270 mg/m <sup>3</sup> (8 h) 541 mg/m <sup>3</sup> (15 min)
	Norway	260 mg/m <sup>3</sup> (8 h)
	Switzerland	260 mg/m <sup>3</sup> (8 h) 260 mg/m <sup>3</sup> (15 min)
	Ireland	260 mg/m <sup>3</sup> (8 h) 520 mg/m <sup>3</sup> (15 min)
Acetic acid	SZW 2014, REACH Regulations, Denmark, Norway	25 mg/m <sup>3</sup> (8 h)
	Germany-AGS, Austria, Switzerland	25 mg/m <sup>3</sup> (8 h) 50 mg/m <sup>3</sup> (15 min)
	Finland, Sweden	13 mg/m <sup>3</sup> (8 h) 25 mg/m <sup>3</sup> (15 min)
	France	25 mg/m <sup>3</sup> (15 min)
	Belgium	25 mg/m <sup>3</sup> (8 h) 38 mg/m <sup>3</sup> (15 min)
	Spain, Ireland	25 mg/m <sup>3</sup> (8 h) 37 mg/m <sup>3</sup> (15 min)
Benzyl acetate	REACH Regulations	21.9 mg/m <sup>3</sup> Inhalation, systemic effects Long-term exposure
	Denmark	61 mg/m <sup>3</sup> (8 h)
	Belgium, Spain	62 mg/m <sup>3</sup> (8 h)
	Ireland	10 ppm (8 h)

Legal Basis: Commission Directive 2006/15/EC, 2003/39/EC, 2009/161/EC.

#### Recommended control procedures

Procedures Concerning the control over the dangerous components concentrations in the air and control over the air

quality in the workplace in Accordance with the European Standards.

### **8.2 Exposure controls:**

Use the product in accordance with good occupational hygiene and safety practices. Ensure exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure eye stations and safety showers.

#### **Hand and body protection:**

In case of short term contact use protective gloves made of nitrile rubber (minimal thickness: 0.2 mm; breakthrough time > 30 minutes). In case of long term contact use protective gloves made of butyl rubber (minimal thickness: 0.3 mm, breakthrough time > 480 minutes).

The material that the gloves are made of must be impenetrable and resistant to the product's effects. The selection of material must be performed with consideration of breakthrough time, penetration speed and degradation.

#### **Eye protection:**

Wear tightly fitting safety glasses if there is a risk of eye contamination.

#### **Respiratory protection:**

In case of normal use, in accordance with the intended use, it is not necessary.

Applied personal protective equipment must comply with the requirements of the Directive 89/686/EC. The employer is obliged to provide protective equipment relevant to performed activities and in accordance with all quality requirements, including its maintenance and cleaning.

### **8.3 Environmental exposure controls:**

Do not allow to enter large amounts of product to reach ground water, sewage, waste water or soil.

## **Section9. Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

**Appearance:** yellow oily liquid at room temperature

**Odour:** fruity

**Odour threshold:** Not available

**pH:** Not available

**Melting point/freezing range:** Not available

**Initial boiling point and boiling range:** Not available

**Flash point:** Not available

**Evaporation rate:** Not available

**Flammability (solid, gaseous):** This product is liquid, not applicable.

**Upper/lower flammability or explosive limits:** Not available

**Vapour pressure:** Not available

**Vapour density:** Not available

**Relative density (water = 1 g/mL):** Not available

**Solubility(ies):** Not available

**Partition coefficient: n-octanol/water:** Not available

**Auto-ignition temperature:** Product is not self-igniting.

**Decomposition temperature:** Not available

**Viscosity:** Not available

**Explosive properties:** Product does not present an explosion hazard.

**Oxidising properties:** Product does not present oxidizing properties.

**9.2 Other information:** Not available

## **Section10: Stability and reactivity**

**10.1 Reactivity:** Product is feebly reactive. Product does not undergo a dangerous polymerization. See also 10.4-10.5

**10.2 Chemical stability:** The product is stable under normal storage and using condition.

**10.3 Possibility of hazardous reactions:** Dangerous reactions are not known.

**10.4 Conditions to avoid:** Avoid direct exposure to sunlight.

**10.5 Incompatible materials:** Strong oxidizing agents, acids.

**10.6 Hazardous decomposition products:** Not available

## **Section11:Toxicological information**

### **11.1 Information on toxicological effects**

**Toxicity of components**

LD/LC50 values relevant for classification:		
CAS: 54-11-5 Nicotine		
Oral	LD50	5 mg/kg bw
Dermal	LD50	70 mg/kg bw
Inhalation	LC50	0.19 mg/L (dusts/mists)

#### Toxicity of the mixture

The acute toxicity estimate (ATEmix) for the classification of a substance in a mixture was determined using the appropriate value from ECHA website.

#### Acute toxicity

**ATEmix (oral)** = 270.3 mg/kg bw (Acute Tox. 3 (H301))

**ATEmix (dermal)** = 3784.2 mg/kg bw (Not classified)

**ATEmix (inhalation)** = 10.27 mg/L (Not classified)

#### Skin corrosion/irritation:

Based on available data, this product can cause skin irritation.

#### Serious eye damage/irritation:

Based on available data, this product may cause skin sensitization.

#### Respiratory or skin sensitization:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### Summary of evaluation of the CMR properties:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

## Section 12: Ecological information

### 12.1 Toxicity:

Parameters of environmental toxicity:	
CAS: 54-11-5 Nicotine	
Classification:	Aquatic Chronic 2 (H411)
Fish ( <i>Onchorhynchus mykiss</i> )	LC50-96h = 4 mg/L
Fish (fresh water)	3-29 ppm
Daphnia ( <i>Daphnia magna</i> )	EC50-48h = 0.24 mg/L
Alga ( <i>Desmodesmus subspicatus</i> )	EC50-72h = 37 mg/L
CAS: 140-11-4 Benzyl acetate	
Classification:	Aquatic Chronic 3 (H412)
Fish ( <i>Oryzias latipes</i> )	LC50-96h = 4 mg/L
Fish ( <i>Oryzias latipes</i> )	NOEC-28d = 0.92 mg/L
Daphnia ( <i>Daphnia magna</i> )	EC50-48h = 17 mg/L
Alga ( <i>Desmodesmus subspicatus</i> )	EC50-72h = 110 mg/L

According to Regulation (EC) No 1272/2008, this product met the criteria of classification of environmental toxicity Aquatic Chronic 3.

### 12.2 Persistence and degradability:

Data for the mixture are not available.

Glycerol	
Biodegradation in water	Readily biodegradable
Nicotine	
OECD Guideline 301B	71% degradation after 28 days

1,2-Propylene glycol	
OECD Guideline 301F Biodegradation in soil	81% biodegradation High concentrations of Propylene glycol released into a soil environment can be expected to biodegrade.
Phototransformation in water	DT50 = 1.3 year
Lactic acid	
EU Method C.5, EU Method C.6	Readily biodegradable, but failing 10-day window
Isopentyl acetate	
OECD Guideline 301 C	44% biodegradation after 28 days
Acetic acid	
Biodegradation in water	96% degradation after 20 days
Benzyl acetate	
Biodegradation in water	Readily biodegradable

### 12.3 Bioaccumulative potential:

Data for the mixture are not available.

Nicotine	
Log Pow	-1.75 (pH=7.4, 25 °C)
1,2-propylene glycol	
BCF	0.09
Glycerol	
Log Pow	-1.75 (pH=7.4, 25 °C)

### 12.4 Mobility in soil:

Data for the mixture are not available.

1,2-propylene glycol	
Koc	Koc
Henry's Law constant	Henry's Law constant
Glycerol	
Henry's Law Constant (H):	0 atmm <sup>3</sup> /mol

### 12.5 Results of PBT and vPvB assessment:

Product does not contain ingredients, which meet criteria for PBT or vPvB.

### 12.6 Other adverse effects:

The mixture is not classified as hazardous to the ozone layer.

## Section13:Disposal considerations

### 13.1 Waste treatment methods

Disposal method for the product: disposal in accordance with the local legislation. Do not empty into drains. Waste code should be given in the place of waste formation. The classification of this waste meets criteria for dangerous waste.

Disposal methods for used packing: reuse/recycling/liquidation of empty containers dispose in accordance with the local legislation. The classification of this waste meets criteria for dangerous waste.

Legal Basis: Directive 2008/98/EC, 94/62/EC.

## Section14:Transport information

### 14.1. UN number:

**ADR: UN 3144**

**IMDG: UN 3144**

**ICAO: UN 3144**

### 14.2. UN proper shipping name:

**ADR: NICOTINE PREPARATION, LIQUID, N.O.S. (blueberry ice 20mg 43vg nicotine salt e-liquid)**

**IMDG: NICOTINE PREPARATION, LIQUID, N.O.S. (blueberry ice 20mg 43vg nicotine salt e-liquid)**

**ICAO: NICOTINE PREPARATION, LIQUID, N.O.S. (blueberry ice 20mg 43vg nicotine salt e-liquid)**

### 14.3. Transport hazard class(es):

**ADR:** Class 6.1: Toxic substances  
**IMDG class:** Class 6.1: Toxic substances  
**ICAO class:** Class 6.1: Toxic substances  
**Transport pictograms on the label:**



**14.4. Packing group:**

**ADR:** III

**IMDG:** III

**ICAO:** III

**14.5. Environmental hazards:**

Not available

**14.6. Special precautions for user:**

Move carefully to prevent leakage during carriage. Keep necessary protective articles at hand in case of accident.

Use emergency escape mask when in need.

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code":**

Not available

**Section15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Regulation (EC) No 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

**Regulation (EC) No 1272/2008** of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance).

**Commission Regulation (EU) No 2015/830** of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) (Text with EEA relevance)

**Directive 2008/98/EC** of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.

**European Parliament and Council Directive 94/62/EC** of 20 December 1994 on packaging and packaging waste.

**Economic commission for Europe Committee on Inland Transport ECE/TRANS/257(Vol. I )** of applicable as from 1 January 2017 European Agreement concerning the International Carriage of Dangerous (ADR)

**Convention concerning International Carriage by Rail (COTIF): Appendix C – Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)** with effect from 1 January 2017.

**Technical Instructions for the Safe Transport of Dangerous Goods by Air:** Order Number: Doc 9284, 2017-2018 Edition.

**15.2 Chemical safety assessment:**

A Chemical Safety Assessment is not required for mixtures in accordance with REACH Regulation.

**Section16: Other information**

**Full text if indicated H phrases mentioned in section 2,3:**

H226: Flammable liquid and vapor

H300: Fatal if swallowed

H302: Harmful if swallowed

H310: Fatal in contact with skin

H314: Causes severe skin burns and eye damage

H315: Causes skin irritation

H318: Causes serious eye damage

H330: Fatal if inhaled

H335: May cause respiratory irritation

H372: Causes damage to organs through prolonged or repeated exposure

H411: Toxic to aquatic life with long lasting effects



H412: May cause long lasting harmful effects to aquatic life

**Clarifications of aberrations and acronyms**

Acute Tox. 4: Acute toxicity, Category 4

Aquatic Acute 1: Hazardous to the aquatic environment, acute Category 1

Aquatic Chronic 1, 2, 3: Hazardous to the aquatic environment, long-term hazard Category 1, 2, 3

Asp. Tox. 1: Aspiration toxicity, Category 1

Eye Irrit. 2: Serious eye irritation, Category 2

Flam. Liq. 3: Flammable liquid, Category 3

Skin Irrit. 2: Skin irritation, Category 2

Skin Sens. 1, 1B: Skin sensitization, Category 1, 1B

STOT SE 3: Specific target organ toxicity-single exposure, Category 3

PBT: Persistent, Bioaccumulative and Toxic substance

vPvB: very Persistent, very Bioaccumulative substance

OECD: Organisation for Economic Co-operation and Development

OEL value: Occupational exposure limit value

LoW: List of Wastes

**Trainings:**

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

**Key literature references and sources for data:**

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases (eg. ECHA) as well as our knowledge and experience, taking into account current legislation.

**Methods of evaluating information which was used for the purpose of classification acc. Regulation (EC) No 1272/2008**

Acute Tox.3 (H301) :calculation method

Eye Irrit.2 (H319) :additivity approach

**Methods of evaluating information which was used for the purpose of transport acc. ECE/TRANS/242 (Vol.I):**

Not applicable

**Other data**

Purity of the ingredients present in Section 3 is > 90%, and does not affect the classification.

**Date of update:** 15/03/2022

**THIS SDS ANNULS AND REPLEACES ALL PREVIOUS VERSIONS**

**DISCLAIMER OF LIABILITY**

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product, This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.